L	Hits	Search Text	DB	Time stamp
Number				
_	· 26	ricoh.as. and Fujioka-takuro.in.	USPAT;	2004/03/15
			US-PGPUB;	08:55
			EPO; JPO;	
			DERWENT	
_	1267	internet near1 print\$4	USPAT;	2004/03/14
			US-PGPUB;	16:16
			EPO; JPO;	
			DERWENT	
-	67		USPAT;	2004/03/14
		system or method or apparatus)	US-PGPUB;	16:30
			EPO; JPO;	
	i		DERWENT	
_	30	(internet near1 print\$4 near1 (machine or	USPAT;	2004/03/14
		system or method or apparatus)) and	US-PGPUB;	16:31
		(storage or memory)	EPO; JPO;	
		- "	DERWENT	
-	8	((internet near1 print\$4 near1 (machine	USPAT;	2004/03/14
		or system or method or apparatus)) and	US-PGPUB;	16:31
		(storage or memory)) and (compress\$4)	EPO; JPO;	
			DERWENT	
_	43	(internet near1 print\$4 near1 (machine or	USPAT;	2004/03/14
		system or method or apparatus)) and	US-PGPUB;	16:35
		(storage or memory or storing or stor\$4)	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT	
_	8	((internet near1 print\$4 near1 (machine	USPAT;	2004/03/14
		or system or method or apparatus)) and	US-PGPUB;	16:31
		(storage or memory or storing or stor\$4))	EPO; JPO;	
		and (compress\$4)	DERWENT	
_	0	1	USPAT;	2004/03/14
		system or method or apparatus)) and (no	US-PGPUB;	16:35
		near2 space near2 (storage or memory or	EPO; JPO;	
		storing or stor\$4))	DERWENT	
_	1179		USPAT;	2004/03/14
		or storing or stor\$4))	US-PGPUB;	16:36
ľ	1	01 0001111g 01 1001;1,,	EPO; JPO;	
			DERWENT	
_	120	((no near2 space near2 (storage or memory	USPAT;	2004/03/14
	120	or storing or stor\$4))) and (internet or	US-PGPUB;	16:46
		network) and print\$4	EPO; JPO;	
		licework, and princy;	DERWENT	
			DEKMENT	<u> </u>

-	120	(US-6219763-\$ or US-6223217-\$ or	USPAT;	2004/03/14
		US-6226626-\$ or US-6243778-\$ or	US-PGPUB	17:02
		US-6256672-\$ or US-6272579-\$ or		
		US-6282525-\$ or US-6298337-\$ or		
		US-6304336-\$ or US-6330250-\$ or		
		· · · · · · · · · · · · · · · · · · ·		
		US-6330566-\$ or US-6369907-\$ or		
		US-6442658-\$ or US-6487614-\$ or		i
		US-6493728-\$ or US-6523058-\$ or		
[		US-6549951-\$ or US-6564228-\$ or		
		US-6567184-\$ or US-6584582-\$ or		
		,		
		US-6587684-\$ or US-6611908-\$ or		
		US-6614548-\$ or US-6625170-\$ or		
		US-6650631-\$ or US-6675218-\$).did. or		
		(US-5941979-\$ or US-5943643-\$ or		
		US-6016386-\$ or US-6029205-\$ or		
		US-6061662-\$ or US-6064994-\$ or		
		US-6084892-\$ or US-6097719-\$ or		
		US-6105024-\$ or US-6128712-\$ or		
		US-6128713-\$ or US-6134602-\$ or		
		US-6154600-\$ or US-6181695-\$ or		
		US-6195425-\$ or US-6216197-\$ or		[
		•		
		US-5881285-\$ or US-5923659-\$ or		
		US-5940598-\$ or US-RE31023-\$ or		]
		US-4389706-\$ or US-4570217-\$ or		
		US-4772955-\$ or US-5033489-\$ or		j l
		US-5036459-\$ or US-5109515-\$ or		]
		US-5355480-\$).did. or (US-5440752-\$ or		
				1
		US-5455953-\$ or US-5465351-\$ or		1
		US-5530857-\$ or US-5553242-\$ or		
		US-5568639-\$ or US-5596735-\$ or		
		US-5604865-\$ or US-5617570-\$ or		
		US-5623661-\$ or US-5664189-\$ or		
1		US-5684602-\$ or US-5754800-\$ or		
		·		
		US-5805879-\$ or US-5822742-\$ or		
		US-5831617-\$ or US-5832219-\$ or		
		US-5873129-\$ or US-5873990-\$ or		
ì		US-3898643-\$ or US-4015366-\$ or		
		US-4215406-\$ or US-4215407-\$ or		
		US-4216528-\$ or US-4227245-\$ or		
		US-4250560-\$).did. or (US-20020012132-\$		
		or US-20020018241-\$ or US-20020026335-\$		
		or US-20020026542-\$ or US-20020034965-\$		
		or US-20020039194-\$ or US-20020049873-\$		
		or US-20020055856-\$ or US-20020059508-\$		
		or US-20020060809-\$ or US-20020091720-\$		·
		or US-20020092011-\$ or US-20020097711-\$		
		or US-20020107916-\$ or US-20020133325-\$		
		or US-20020147611-\$ or US-20020147739-\$		
		or US-20020165727-\$ or US-20020165745-\$		
		or US-20020169644-\$ or US-20020173984-\$		
		or US-20020174191-\$ or US-20020174314-\$	1	<b> </b>
		or US-20020174191-\$ or US-20020174314-\$		
		or US-20020188663-\$).did. or		
		(US-20020194291-\$ or US-20020198734-\$ or	1	
		US-20030004744-\$ or US-20030004774-\$ or		
		US-20030005233-\$ or US-20030040962-\$ or	1	
		US-20030120800-\$ or US-20030204848-\$ or		
		US-20040001189-\$ or US-20040015613-\$ or		
	1	US-20040024987-\$ or US-20040025189-\$ or	1	
		US-20010025270-\$ or US-20010034711-\$ or	1	
		US-20010038032-\$).did.		
_	3	· ·	USPAT;	2004/03/14
	1		US-PGPUB;	17:16
			· ·	+ / • + 0
			EPO; JPO;	
			DERWENT	
-	1	6369907.URPN.	USPAT	2004/03/14
				17:03
_	1	"6070000".PN.	USPAT	2004/03/14
		,		17:03
	_	/851406748   852201108   855555428	HCDAG	1
-	5	•	USPAT	2004/03/14
		"5577172"   "5699493").PN.		17:04

Search History 3/16/04 2:27:21 PM Page 2

-	74	5228118.URPN.	USPAT	2004/03/14 17:05
_	841477	print\$4.ab.	USPAT;	2004/03/14
			US-PGPUB;	17:16
			EPO; JPO;	
			DERWENT	
-	4610677	storing or storage or memory or space	USPAT;	2004/03/14
		,	US-PGPUB;	17:17
			EPO; JPO;	
	2605442	/	DERWENT	2004/02/14
-	2685443	(storing or storage or memory or space).ab.	USPAT; US-PGPUB;	2004/03/14
		space, ab.	EPO; JPO;	1/.1/
			DERWENT	
_	605409	(network or host or LAN or internet).ab.	USPAT;	2004/03/14
		(,	US-PGPUB;	17:18
			EPO; JPO;	
			DERWENT	
-	718944	(compress\$4).ab.	USPAT;	2004/03/14
			US-PGPUB;	17:18
			EPO; JPO;	
			DERWENT	00004/00/10
-	12877	1 2 1	USPAT;	2004/03/14
		memory or space) and ((storing or storage	US-PGPUB;	17:19
		or memory or space).ab.) and ((network or	EPO; JPO;	
	452	host or LAN or internet).ab.) print\$4.ab. and (storing or storage or	DERWENT USPAT;	2004/03/14
-	452	memory or space) and (storing or storage	US-PGPUB;	17:19
		or memory or space) and ((storing or storage) or memory or space).ab.) and ((network or	EPO; JPO;	17.19
		host or LAN or internet).ab.) and	DERWENT	
	Į	((compress\$4).ab.)		
-	452		USPAT;	2004/03/14
		memory or space).ab.) and ((network or	US-PGPUB;	17:22
}		host or LAN or internet).ab.) and	EPO; JPO;	
		((compress\$4).ab.)	DERWENT	
-	29	1 12 1	USPAT;	2004/03/14
		memory or space).ab.) and ((network or	US-PGPUB;	17:22
	i	host or LAN or internet).ab.) and	EPO; JPO;	
		((compress\$4).ab.)) and (PDL or (page near1 description near1 language))	DERWENT	
1_	24		USPAT;	2004/03/14
	24	memory or space).ab.) and ((network or	US-PGPUB;	17:22
		host or LAN or internet).ab.) and	EPO; JPO;	17122
1		((compress\$4).ab.)) and (PDL or (page	DERWENT	
1		nearl description nearl language)).ab.		
-	0	6369907.pn. and compress\$4	USPAT;	2004/03/14
1			US-PGPUB;	17:35
			EPO; JPO;	
	_	6070000	DERWENT	2004/03/34
-	0	6070000.pn. and compress\$4	USPAT;	2004/03/14
			US-PGPUB; EPO; JPO;	11:33
			DERWENT	
_	0	"6369907" and compress\$4	USPAT;	2004/03/14
		TOUSSO, and compressor,	US-PGPUB;	17:35
			EPO; JPO;	
			DERWENT	
-	1	"6070000" and compress\$4	USPAT;	2004/03/14
			US-PGPUB;	17:36
			EPO; JPO;	
			DERWENT	
-	1		USPAT;	2004/03/14
		stor\$4)	US-PGPUB;	17:55
			EPO; JPO; DERWENT	
_	0	6577407.URPN.	USPAT	2004/03/14
		OJ / I J / OKEN.	JULIA	17:38
L	L	1	l	1 - 1 - 1 - 1

	•			
	14	("5140674"   "5179637"   "5247623"   "5287194"   "5467434"   "5559933"   "5647056"   "5720015"   "5768516"   "5895155"   "6031631"   "6070000"   "6081342"   "6369909").PN.	USPAT	2004/03/14
_	808	JBIG	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/14
_	122	predict\$5 near4 compress\$4 near2 (volume or storage or memory or stor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/14 18:19
-	41	<pre>(predict\$5 near4 compress\$4 near2 (volume or storage or memory or stor\$4)) and (internet or network or LAN or host or client)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/14 18:21
_	18	<pre>((predict\$5 near4 compress\$4 near2 (volume or storage or memory or stor\$4)) and (internet or network or LAN or host or client)) and print\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/14 19:07
-	0		USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/14 19:07
	2	"6369907" and convers\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/14 19:07
_	2	("6070000"   "6369907").PN.	USPAT	2004/03/14 19:09
	45	(US-6385655-\$ or US-6327045-\$ or US-6184996-\$ or US-4215406-\$ or US-5109515-\$ or US-5355480-\$ or US-5455953-\$ or US-5465351-\$ or US-5553242-\$ or US-5684602-\$ or US-6016386-\$ or US-6029205-\$ or US-6105024-\$ or US-6223217-\$ or US-6256672-\$ or US-622626-\$ or US-6304336-\$ or US-6230566-\$ or US-6304336-\$ or US-6330566-\$ or US-6369907-\$ or US-664228-\$ or US-6567184-\$ or US-666428-\$ or US-6552813-\$ or US-6665087-\$).did. or (US-6552813-\$ or US-6515758-\$ or US-6369909-\$ or US-5720015-\$ or US-5974182-\$).did. or (US-20010038032-\$ or US-20020012132-\$ or US-2002018241-\$ or US-200200165727-\$ or US-2002018241-\$ or US-200200165727-\$ or US-20020184663-\$ or US-20020194291-\$ or US-20030005233-\$).did. or (JP-2001232870-\$ or JP-10147016-\$ or JP-08300745-\$ or JP-08207401-\$).did. or (EP-1071007-\$).did.	USPAT; US-PGPUB; JPO; DERWENT	2004/03/14 19:10

US-6184996-\$ or US-4218406-\$ or US-505408-\$ or US-505518-\$ or US-5355408-\$ or US-5645933-\$ or US-564602-\$ or US-5645933-\$ or US-564602-\$ or US-564002-\$ or US-5623242-\$ or US-5624626-\$ or US-623676-\$ or US-623676-\$ or US-623697-\$ or US-6236997-\$ or US-6236997-\$ or US-623697-\$ or US-562626-\$ or US-5626999-\$ or US-562626-\$ or US-5626999-\$ or US-562626-\$ or US-5626999-\$ or US-5020018429-\$ or US-50200182-\$ or US-50200182-\$ or US-20020182-\$ or US-2002018-\$ or US-2002018-\$ or US-2002018-\$ or US-2002018-\$ or US-2002018-\$ or US-20020					
US-5109515-9 or US-5105480-8 or US-5105593-3 or US-510542-8 or US-510540-8 or US-510340-8 or US-510340-9 or U	_	3	((US-6385655-\$ or US-6327045-\$ or	USPAT;	2004/03/14
US-545993-9 or US-546591-9 or US-610306-3 or US-6010306-3 or US-6010302-4 or US-6010306-3 or US-6010302-4 or US-6010306-3 or US-6012976-3 or US-6010306-3 or US-6012976-3 or US-6016306-3 or				US-PGPUB;	19:10
US-5552242-9 or US-564602-9 or US-6016386-4 or US-6016386-5 or US-6016386-5 or US-6015365-5 or US-6015365-6 or US-6015965-8 or US-6015965-8 or US-6015965-8 or US-6056907-8 or US-6025071-7 or US-6056907-8 or US-6056907-8 or US-6056907-8 or US-6056907-9 or US-6056907-8 or US-6056907-9 or US-6056907-9 or US-6056907-9 or US-6056907-9 or US-6056907-9 or US-6056907-9 or US-7000010312-8 or US-7000010312-8 or US-7000010312-8 or US-7000010312-8 or US-7000010312-8 or US-2000106909-9 or US-2000018479-9 or US-2000018479-9 or US-2000018479-9 or US-2000018479-9 or US-200000523-9 or US-2000018479-9 or US-7000000523-9 or US-200000523-9 or US-2000018479-9 or US-7000000000000000000000000000000000000			,	EPO; JPO;	
US-6016386-\$ or US-6029205-\$ or US-6219763-\$ or US-6219763-\$ or US-6219763-\$ or US-6223117-\$ or US-6219763-\$ or US-6223217-\$ or US-6230672-\$ or US-6230672-\$ or US-6230672-\$ or US-6304336-\$ or US-63030566-\$ or US-6306907-\$ or US-6305828-\$ or US-6369907-\$ or US-650628-\$ or US-6222118-\$ or US-6228118-\$ or US-6228118-\$ or US-6229018-\$ or US-5229118-\$ or US-6229019-\$ or US-5202018213-\$ or US-2020012132-\$ or US-2020012132-\$ or US-2020018241-\$ or US-2020018231-\$ or US-2020018231-\$ or US-2020018231-\$ or US-2020018231-\$ or US-2020018231-\$ or US-2020018231-\$ or US-2020018663-\$ or US-2020018231-\$ or US-2020165727-\$ or US-202018663-\$ or US-2020165731-\$ or US-2020165727-\$ or US-202018663-\$ or US-2020165727-\$ or				DERWENT	
US-6105024-\$ or US-6216197-\$ or US-6229672-\$ or US-6226626-\$ or US-6236037-\$ or US-6236622-\$ or US-63369907-\$ or US-6366907-\$ or US-5202018-\$ or US-5202018-\$ or US-5202018-\$ or US-5202018-\$ or US-5202018-\$ or US-5202018-\$ or US-202006809-\$ or US-200201824-\$ or US-200200899-\$ or US-200201824-\$ or US-200200899-\$ or US-20020187739-\$ or US-200201829-\$ or US-200201829-\$ or US-200201829-\$ or US-20020188663-\$ or US-20020187739-\$ or US-20020188663-\$ or US-20020187739-\$ or US-200201					
US-6219763-\$ or US-6223017-\$ or US-6206672-\$ or US-6304336-\$ or US-630436-\$ or US-6304336-\$ or US-630907-\$ or US-6569907-\$ or US-6567184-\$ or US-6514548-\$ or US-6567184-\$ or US-6514548-\$ or US-652811-\$ or US-6514548-\$ or US-652811-\$ or US-6514548-\$ or US-6528919-\$ or US-512758-\$ or US-6203093-\$ or US-2002012132-\$ or US-2002012132-\$ or US-2002012132-\$ or US-2002018241-\$ or US-20020093-\$ or US-2002018241-\$ or US-20020015277-\$ or US-2002018663-\$ or US-20020015277-\$ or US-2002018663-\$ or US-20020015273-\$ or US-2002018663-\$ or US-20020015273-\$ or US-20020188663-\$ or US-20020015273-\$			1		
US-6256672-\$ or US-6226626-\$ or US-6304336-\$ or US-6369907-\$ or US-63669087-\$ or US-63669087-\$ or US-6567184-\$ or US-6565087-\$ or US-6567184-\$ or US-6565087-\$ or US-6565087-\$ or US-6565087-\$ or US-6565087-\$ or US-6369909-\$ or US-5720015-\$ or US-2020012132-\$ or US-2020118241-\$ or US-202001323-\$ or US-2020013241-\$ or US-2020013239-\$ or US-2020013241-\$ or US-202001322370-\$ or US-2020013241-\$ or US-202001322370-\$ or US-2020118663-\$ or US-202001323-\$ or US-2020118663-\$ or US-202001323-\$ or US-2020118663-\$ or US-2020118241-\$ or US-2020118663-\$ or US-2020118241-\$ or US-2020118663-\$ or US-2020118241-\$ or US-2020118663-\$ or US-2020118241-\$					
US-6304336-\$ or US-630566-\$ or US-6369907-\$ or US-6567184-\$ or US-65518768-\$ or US-6569909-\$ or US-520020018231-\$ or US-20020018231-\$ or US-2002018531-\$ or US-20020018231-\$ or US-2002018531-\$ or US-200300523-\$ or US-2002018531-\$ or					
US-6369907-\$ or US-6364228-\$ or US-6561848-\$ or US-528118-\$ or US-665087-\$).did. or US-5228118-\$ or US-665087-\$).did. or US-528118-\$ or US-5665087-\$).did. or US-5174182-\$) or US-536990-\$ or US-5720015-\$ or US-5374182-\$) did. or US-2001038032-\$ or US-2002016772-\$ or US-200201821-\$ or US-2002016572-\$ or US-2002016573-\$ or US-200201821-\$ or US-2002016572-\$ or US-2002018573-\$ or US-2002018563-\$ or US-2002018573-\$ or US-2002018563-\$ or US-2002018573-\$ or US-2002018563-\$ or US-2002018573-\$ or US-2002018563-\$ or US-2003005233-\$ or US-20020185663-\$ or US-2003005233-\$ or			, , ==		
US-6567184-\$ or US-6614589-\$ or US-65228118-\$ or US-6522813-\$ or US-6615758-\$ or US-56369909-\$ or US-5974182-\$), did. or (US-655813-\$ or US-5976182-\$) and (OS-20010038032-\$ or US-20020106809-\$ or US-20020147739-\$ or US-2002012123-\$ or US-20020147739-\$ or US-20020123270-\$ or US-20020147739-\$ or US-20020194291-\$ or US-2003003633-\$, did. or (UF-20123270-\$ or US-20020148663-\$ or US-200300323-\$], did. or (UF-20123270-\$ or US-20020148663-\$ or US-200300323-\$], did. or (UF-20123270-\$ or US-20020148663-\$ or US-200300323-\$], did. or (UF-20123270-\$ or US-20020148663-\$ or US-2003005233-\$], did. or (UF-20123270-\$ or US-20020148663-\$ or US-2003005233-\$], did. or (UF-20123270-\$ or US-20020148663-\$ or US-2003005233-\$], did. or (UF-20123270-\$ or US-2003005233-\$], did. or (UF-20123270-\$ or US-20020148663-\$ or US-2003005233-\$], did. or (UF-20123270-\$ or US-20020148663-\$ or US-2002014921-\$ or US-2003005233-\$], did. or (UF-20123270-\$ or US-2003005233-\$], did. or (UF-20123270-\$ or US-20020148663-\$ or US-20020148241-\$ or US-2002014873-\$ or US-20020148663-\$ or US-2002014873-\$ or US-20020148663-\$ or US-2002014873-\$ or US-20020148663-\$ or US-2002014873-\$ or US-20020148663-\$ or US-2002014873-\$ or US-2002014824-\$ or					
US-5228118-\$ or US-6665087-\$).did. or			· · · · · · · · · · · · · · · · · · ·		
(US-6582813-% or US-570015-% or US-5974182-\$).did. or (US-20010038032-\$ or US-57002013123-\$ or US-20020108241-\$ or US-2002006809-\$ or US-20020147739-\$ or US-20020194291-\$ or US-2002019					
US-6369909-\$ or US-5720015-\$ or US-5974182-3).did. or (US-2001003032-\$ or US-20020012132-\$ or US-20020016241-\$ or US-20020016727-\$ or US-20020167727-\$ or US-2002016863-\$ or US-2002016727-\$ or US-2002016863-\$ or US-20020167527-\$ or US-20020188663-\$ or US-20020167527-\$ or US-2002016863-\$ or US-20020167527-\$ or US-20020188663-\$ or US-20020167527-\$ or US-20020188663-\$ or US-20020167739-\$ or US-20020167527-\$ or US-20020188663-\$ or US-20020167739-\$ or US-20020167527-\$ or US-2002016753-\$ or US-20020188663-\$ or US-20020167739-\$ or US-2002016753-\$ or US-20020188663-\$ or US-20020167739-\$ or US-2002016753-\$ or US-20020188663-\$ or US-20020167739-\$ or US-2002016753-\$ or US-20020188663-\$ or US-2002016753-\$ or US-20020188663-\$ or US-2002016753-\$ or US-20020188663-\$ or US-2002018753-\$ or US-2002					
US-5974182-\$), did. or (US-20010038032-\$ or US-20020012132-\$ or US-2002018241-\$ or US-20020018241-\$ or US-20020182572-\$ or US-20020182663-\$ or US-20020194291-\$ or US-20020182663-\$ or US-2002013233-\$), did. or (UP-2001232870-\$ or UP-2007401-\$), did. or (EP-1071007-\$). did.) and (compress\$4 and predict\$4) (compress\$4 or encrypt\$4) with (password or userID) with (stor\$4 or memory) userID; US-PGFUB; EPO; JPO; DERWENT US-			, , , , , , , , , , , , , , , , , , , ,		
or US-2002006809-\$ or US-2002018241-\$ or US-200206809-\$ or US-2002018663-\$ or US-20020194291-\$ or US-20020194291-\$ or US-20030005233-\$).did. or (PP-0201232870-\$ or JP-010147016-\$ or JP-08300745-\$ or JP-08207401-\$).did. or (PP-1071007-\$).did.) and (compress\$4 and predict\$4) (compress\$4 or encrypt\$4) with (password or userID) with (stor\$4 or memory) EPPO, JPO, DERWERN USPAT; US-PGPUB; EPPO, JPO, DERWERN USPAT; USP					
or US-2002016889-\$ or US-20020147739-\$ or US-20020184291-\$ or US-2002018233-\$), did. or (JP-2001232870-\$ or JP-10147016-\$ or JP-08300745-\$ or JP-08207401-\$), did. or (EP-1071007-\$).did.) and (compress\$4 and predict\$4) (compress\$4 or encrypt\$4) with (password or userID) with (stor\$4 or memory)  - 1216 (compress\$4 or encrypt\$4) with (password or userID) with (stor\$4 or memory) and (internet or host or client or server or network) near\$1 print\$3) (compress\$4) with (password or userID) with (stor\$4 or memory)  - 12 ((compress\$4) with (password or userID) with (stor\$4 or memory) userID) with (stor\$4 or memory)  - 12 ((compress\$4) with (password or userID) with (stor\$4 or memory) userID) userAT; us-PGPUB; espoint of full) or empty or remain\$4 or left) userAT; us					
or US-20020165727-\$ or US-20020188663-\$ or US-20030005233-\$).did. or US-20030005233-\$).did. or US-20030005233-\$).did. or US-20030005233-\$).did. or US-20030005233-\$).did. or US-200300745-\$ or US-08207401-\$).did. or US-PGPUB; Perplo71007-\$).did.) and (compress\$4 and predict\$4) (compress\$4 or encrypt\$4) with (password or userID) with (stor\$4 or memory) ERPO; JPO; DERWERN USPAT; US-PGPUB; Perplo71007-DERWERN USPAT; US					
or US-20020194291-\$ or US-2003005233-\$).did. or (JP-2001232870-\$ or JP-10147016-\$ or JP-08300745-\$ or JP-08207401-\$).did. or (EP-1071007-\$).did.) and (compress\$4 and predict\$4)					
US-2003005233-9).did. or			'		
JP-001232870-9 or JP-10147016-9 or JP-0830743-5 or JP-08207401-8).did. or (EP-1071007-\$).did.) and (compress\$4 and predict\$4] (compress\$4 or encrypt\$4) with (password or userID) with (stor\$4 or memory)			i i		
JP-08300745-\$ or JP-08207401-\$).did. or (EPP-1071007-\$).did.) and (compress\$4 and predict54)   Compress\$4 or encrypt\$4) with (password or userID)   USPAT;					
(EP-1071007-\$).did.) and (compress\$4 and predict\$4)   (compress\$4 or encrypt\$4) with (password or userID)   ((internet or host or client or server or network) near3 print\$3]   (internet or host or client or server or network) near3 print\$3]   (internet or host or client or server or network) near3 print\$3]   (internet or host or client or server or network) near3 print\$3]   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or server or network)   (internet or host or client or					
1216					
204/03/15   2004					
Or userID    Us=PGPUB;   EDO; JPO; DERWENT   USPAT; USPAT;   USP	_	4343		USPAT:	2004/03/15
1216   (compress\$4 or encrypt\$4) with (password or userID) with (stor\$4 or memory)   USPAT;			·		
DERWENT   SPAT;   2004/03/15   US-PGPUB;   EPO; JPO; DERWENT			·		
Seric					
EPO; JPO; DERWENT USPAT; 2004/03/15 USPAT; 2004/	-	1216	(compress\$4 or encrypt\$4) with (password	USPAT;	2004/03/15
Sequence			or userID) with (stor\$4 or memory)	US-PGPUB;	08:59
84				EPO; JPO;	
Or userID) with (stor\$4 or memory) and ((internet or host or client or server or network) near3 print\$3)				1	
((internet or host or client or server or network) near3 print\$3)	-	84		· ·	
Network  near3 print\$3  (compress\$4) with (password or userID) with (stor\$4 or memory)   USPAT;   US				1	09:18
- 63 (compress\$4) with (password or userID) with (stor\$4 or memory)  - 12 ((compress\$4) with (password or userID) with (stor\$4 or memory) and ((memory or stor\$4) near3 (operable or inoperable or full) ((compress\$4) with (password or userID) with (stor\$4 or memory)) and ((memory or stor\$4) near3 (operable or inoperable or full or empty or remain\$4 or left) ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full))  - 0 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full) ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4) ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 909:18  - 1004/03/15  - 1004/03/15  1004/03/15  1004/03/15  1009:16  1004/03/15  1009:17  1004/03/15  1009:17  1004/03/15  1004/03/15  1004/03/15  1004/03/15			'''	1	
With (stor\$4 or memory)				1	0004/00/15
Compress\$4) with (password or userID)   Uspat;	_	63	(compress\$4) with (password or userID)	1	1 ' '
12			with (stor\$4 or memory)	· ·	08:59
12					1
with (stor\$4 or memory)) and ((memory or stor\$4) near3 (operable or inoperable or full))  15 ((compress\$4) with (password or userID) with (stor\$4 or memory)) and ((memory or stor\$4) near3 (operable or inoperable or full or empty or remain\$4 or left))  16 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same (memory or stor\$4) near3 (operable or inoperable or full)  17 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  18 (compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4) (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  18 (compress\$4 same ((memory or stor\$4) near3 (operable or full or none or percent\$4 or volume or scarse or scant))  18 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  18 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  19 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  2004/03/15 (09:18	_	12	((compress\$4) with (password or userID)		2004/03/15
stor\$4) near3 (operable or inoperable or full)  15 ((compress\$4) with (password or userID) with (stor\$4 or memory)) and ((memory or stor\$4) near3 (operable or inoperable or full or empty or remain\$4 or left))  10 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full))  10 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  11 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  11 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  12 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or userID) DERWENT  13 ((compress\$4) with (password or userID) DERWENT  14 ((compress\$4) with (password or userID) DERWENT  15 ((compress\$4) with (password or userID) DERWENT  16 ((compress\$4) with (password or userID) DERWENT  17 ((compress\$4) with (password or userID) DERWENT  18 ((compress\$4) with (password or userID) DERWENT  19 ((compress\$4) with (password or userID) DERWENT  2004/03/15 US-PGPUB; D		12			1 ' '
full)) ((compress\$4) with (password or userID) with (stor\$4 or memory)) and ((memory or stor\$4) near3 (operable or inoperable or full)  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same (memory or stor\$4) near3 (operable or inoperable or full)  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same (memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same (memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  3395  (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  88 (compress\$4 same (memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  and ((internet or host or client)  DERWENT  2004/03/15 09:16 EPO; JPO; DERWENT USPAT; 2004/03/15 09:17 EPO; JPO; DERWENT USPAT; 2004/03/15 09:18 EPO; JPO; DERWENT USPAT; US			stor\$4) near3 (operable or inoperable or		
- 15 ((compress\$4) with (password or userID) with (stor\$4 or memory)) and ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  - 0 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4)					
with (stor\$4 or memory)) and ((memory or stor\$4) near3 (operable or inoperable or full or empty or remain\$4 or left))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or full))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or full))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or full or none or percent\$4) uspAT; us	-	15			2004/03/15
stor\$4) near3 (operable or inoperable or full or empty or remain\$4 or left))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  ((compress\$4) with (password or userID) USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; U					
full or empty or remain\$4 or left)) ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  as 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) as 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) as 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) as 90 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) beautiful vision v					
with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full))  - 0 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  - 0 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or full or none or percent\$4))  - 0 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 0 3395 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 0 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 0 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or none none none none none none none			full or empty or remain\$4 or left))		
stor\$4) near3 (operable or inoperable or full)  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  ((compress\$4) with (password or userID)	-	0		USPAT;	2004/03/15
full)  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4)  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or none none none none none none none					09:16
- 0 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  - 0 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					
with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4))  O ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or scarse or scant))  compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or none none none none none none none		_			/
stor\$4) near3 (operable or inoperable or full or none or percent\$4))  0 ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  88 (compress\$4 same ((memory or stor\$4) USPAT; near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client DERWENT)	-	0			
full or none or percent\$4))  ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or scarse or scant))  3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  or percent\$4 or volume or scarse or scant)  88 (compress\$4 same ((memory or stor\$4) near3 (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  and ((internet or host or client of DERWENT)  DERWENT  USPAT;  USPAT;  USPAT;  USPAT;  USPAT;  USPAT;  O9:18  2004/03/15  09:18  2004/03/15  09:18  2004/03/15  09:18  2004/03/15  Operable;  EPO; JPO;  DERWENT					09:17
O ((compress\$4) with (password or userID) with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or scarse or scant))  O (operable or inoperable or full or none or percent\$4 or volume or scarse or percent\$4 or volume or scarse or scant))  O (compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  O (compress\$4 same ((memory or stor\$4) usPAT; near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client or none or percent\$4 or volume or scarse or scant))	1				
with (stor\$4 or memory)) same ((memory or stor\$4) near3 (operable or inoperable or scarse or scant))  3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  (compress\$4 same ((memory or stor\$4) DERWENT  88 (compress\$4 same ((memory or stor\$4) USPAT; USPAT; USPAT; near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client DERWENT)	l _	_		i .	2004/02/15
stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) perwent uspat; volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) perwent uspat; volume or scarse or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client uspat; volume)) and (compress\$4 or volume or scarse or scant)) and (compress\$4 or volume or scarse or scant))	-			•	I I
full or none or percent\$4 or volume or scarse or scant))  - 3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) DERWENT (SPAT; USPAT; USPAT; USPAT; USPAT; USPAT; Near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client DERWENT)					03.10
scarse or scant))  compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  88 (compress\$4 same ((memory or stor\$4) DERWENT (SPAT; none or percent\$4 or volume or stor\$4) (SPAT; none or percent\$4 or volume or stor\$4) (SPAT; none or percent\$4 or volume or scarse or scarse or scant))) and ((internet or host or client of DERWENT)				1	
- 3395 compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) DERWENT (scant)) (compress\$4 same ((memory or stor\$4) USPAT; near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client DERWENT)				PHYMPIAI	
(operable or inoperable or full or none or percent\$4 or volume or scarse or scant))  88 (compress\$4 same ((memory or stor\$4) usPAT; near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client DERWENT DERWENT)	-	3395		USPAT:	2004/03/15
or percent\$4 or volume or scarse or scant))  - 88 (compress\$4 same ((memory or stor\$4) usPAT; near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))) and ((internet or host or client DERWENT	:			1	1 ' '
scant)) - 88 (compress\$4 same ((memory or stor\$4) USPAT; 2004/03/15 near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))) and ((internet or host or client DERWENT				1	
- 88 (compress\$4 same ((memory or stor\$4) USPAT; 2004/03/15 near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))) and ((internet or host or client DERWENT 2004/03/15 09:27			1	1	
near3 (operable or inoperable or full or US-PGPUB; 09:27 none or percent\$4 or volume or scarse or EPO; JPO; scant))) and ((internet or host or client DERWENT	-	88	(compress\$4 same ((memory or stor\$4)	ł	2004/03/15
scant))) and ((internet or host or client   DERWENT			near3 (operable or inoperable or full or	US-PGPUB;	09:27
			none or percent\$4 or volume or scarse or		
l or server or network) near3 print\$3)				DERWENT	
of portor of monoral, monto primayo,			or server or network) near3 print\$3)		

1634	<pre>(stor\$4 or memory) with (PDL or (page near1 descript\$4 near1 language))</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/03/15 09:27
0	<pre>near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))) and ((internet or host or client or server or network) near3 print\$3)) and</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 09:27
14	((compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))) and ((internet or host or client or server or network) near3 print\$3)) and ((stor\$4 or memory) with (PDL or (page	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 10:23
	(((secret or private or secur\$4) near1 print\$4) with compress\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 11:23
144	<pre>(((secret or private or secur\$4) near3 print\$4) with compress\$4)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15
98	<pre>((((secret or private or secur\$4) near3 print\$4) with compress\$4)) not (((secret or private or secur\$4) near1 print\$4) with compress\$4))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/15 12:38
11	jogo-yuzo.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 10:37
17654	<pre>(empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or ((laser or thermal) adj1 printer))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 10:41
283	<pre>((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or ((laser or thermal) adj1 printer)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 10:41
162	<pre>(((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or ((laser or thermal) adj1 printer))) same (compress\$4)) same (stor\$4 or memory</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 10:49
17492	((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or ((laser or thermal) adj1 printer))) not ((((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or ((laser or thermal) adj1 printer))) same (compress\$4)) same (stor\$4 or memory	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16
	0 14 46 144 98 11 17654 283	nearl descript\$4 nearl language))  0 ((compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant)) and ((internet or host or client or server or network) near3 print\$3)) and 12]  14 ((compress\$4 same ((memory or stor\$4) near3 (operable or inoperable or full or none or percent\$4 or volume or scarse or scant))) and ((internet or host or client or server or network) near3 print\$3)) and ((stor\$4 or memory) with (PDL or (page nearl descript\$4 near1 language)))  16 (((secret or private or secur\$4) near3 print\$4) with compress\$4)  144 (((secret or private or secur\$4) near3 print\$4) with compress\$4)  98 ((((secret or private or secur\$4) near3 print\$4) with compress\$4)  17654 (empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (record\$4 adj1 media) or (record\$6 adj1 media) or (record\$1 adj1 print\$6)  17654 (empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (record\$6 adj1 media) or (record\$1 adj1 print\$6 or recorder or ink\$9 or (ink adj1 jet) or ((laser or thermal) adj1 printer)))  1762 ((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recorder or ink\$9 or (ink adj1 jet) or ((laser or thermal) adj1 printer)))  180 ((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or (laser or thermal) adj1 printer)))  1769 (empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recorder or ink\$jet or (ink adj1 jet) or (laser or thermal) adj1 printer)))  1769 ((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or (laser or thermal) adj1 printer)))  1769 (l	Nearl descript\$4 nearl language)   US-PGPUB;   EPO; JPO; DENWENT   USPAT;   US-PGPUB;   EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J

	162	((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or ((laser or thermal) adj1 printer))) not (((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or ((laser or thermal) adj1 printer))) not (((empty or no or none or (run adj1 out) or out) near5 (paper or document or original or (record\$4 adj1 media) or (recording adj1 medium)) near4 (print\$4 or recorder or ink\$jet or (ink adj1 jet) or ((laser or thermal) adj1 printer))) same (compress\$4)) same (stor\$4 or memory or RAM or buffer or FIFO or ROM))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 10:50
-	2	6124943.pn. and (pages!)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 12:03
-	20	<pre>((number of quantity or all) near3 pages!) with (compress\$4 near3 (ratio or rate))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 12:25
-	0	<pre>((number of quantity or all or total) near3 pages!) with (predict\$4 near3 (compress\$4 near3 (ratio or rate)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16
-	4	<pre>((number of quantity or all or total) near3 pages!) with ((predict\$4 or calculat\$4 or control\$4) near3 (compress\$4 near3 (ratio or rate)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/16 12:26
	64	(US-6385655-\$ or US-6327045-\$ or US-6184996-\$ or US-6614548-\$ or US-6567184-\$ or US-6564228-\$ or US-6369907-\$ or US-6330566-\$ or US-6304336-\$ or US-6226672-\$ or US-6226626-\$ or US-6223217-\$ or US-6219763-\$ or US-6216197-\$ or US-6105024-\$ or US-5684602-\$ or US-5553242-\$ or US-5455953-\$ or US-5455953-\$ or US-56552813-\$ or US-665087-\$).did. or (US-6552813-\$ or US-6515758-\$ or US-5974182-\$ or US-6678065-\$ or US-5974182-\$ or US-5611024-\$ or US-5805174-\$ or US-56124943-\$ or US-5805174-\$ or US-56124943-\$ or US-5805174-\$ or US-6124943-\$ or US-6480295-\$ or US-6226329-\$).did. or (US-20030005233-\$ or US-20020165727-\$ or US-2002018241-\$ or US-20020018241-\$ or US-2002001820-\$ or US-2002001232870-\$ or JP-08300745-\$ or JP-08207401-\$ or JP-08300745-\$ or JP-08207401-\$ or JP-08300745-\$ or JP-08207401-\$ or JP-08208755-\$ or JP-08207401-\$ or JP-08208755-\$ or JP-08207401-\$ or JP-08208755-\$ or JP-06141167-\$).did.	USPAT; US-PGPUB; JPO; DERWENT	2004/03/16 13:15

- 3	((US-6385655-\$ or US-6327045-\$ or	USPAT;	2004/03/16
	US-6184996-\$ or US-6614548-\$ or	US-PGPUB;	13:16
	US-6567184-\$ or US-6564228-\$ or	EPO; JPO;	
	US-6369907-\$ or US-6330566-\$ or	DERWENT	
	US-6304336-\$ or US-6256672-\$ or		
	US-6226626-\$ or US-6223217-\$ or		
ł	US-6219763-\$ or US-6216197-\$ or		
	US-6105024-\$ or US-6029205-\$ or		
i	US-6016386-\$ or US-5684602-\$ or	1	
ļ	US-5553242-\$ or US-5465351-\$ or		
İ	US-5455953-\$ or US-5355480-\$ or		
1	US-5109515-\$ or US-4215406-\$ or		
1	US-5228118-\$ or US-6665087-\$).did. or		
ĺ	(US-6552813-\$ or US-6515758-\$ or		
	US-6369909-\$ or US-5720015-\$ or		
	US-5974182-\$ or US-6133912-\$ or		
1	US-5270833-\$ or US-6678065-\$ or		
	US-6621588-\$ or US-5984446-\$ or		
i	US-5805174-\$ or US-5611024-\$ or		
	US-5113494-\$ or US-6124943-\$ or		
· ·	US-5854692-\$ or US-6108099-\$ or		
	US-6480295-\$ or US-6226329-\$).did. or		
	(US-20030005233-\$ or US-20020194291-\$ or		
	US-20020188663-\$ or US-20020165727-\$ or		
	US-20020147739-\$ or US-20020060809-\$ or		
İ	US-20020018241-\$ or US-20020012132-\$ or		
	US-20010038032-\$ or US-20020091850-\$ or		
	US-20040049608-\$ or		
	US-20010024522-\$).did. or		
	(JP-2001232870-\$ or JP-10147016-\$ or		1
	JP-08300745-\$ or JP-08207401-\$ or		
	JP-62208755-\$ or JP-2003298782-\$).did. or		
	(EP-1071007-\$ or JP-06141167-\$).did.) and		
	(memory or stor\$4 or sav\$4 or notify\$4 or		
	tell\$4 or transmit\$5) near4 (host or		
	server or client) near4 compress\$4		

. . . .